

Puertas Prima, the renowned Spanish door manufacturer, is celebrated for its exquisite craftsmanship and innovative designs. Among its notable offerings, the Tacto range stands out as a testament to their commitment to excellence.

Tacto collection features a suite of premium textured vinyl veneered doors, each meticulously crafted to combine aesthetics with functionality. These doors display an elegant opposing veneer aesthetic with a vertical orientation on the stiles and a horizontal in between – an essential choice for anyone seeking a cool and stylish contemporary look in their home.

All Prima doors are superbly engineered using real wood lipping, real wood mouldings, top grade wood veneers and textured laminates over a solid core. The doors are produced individually with perfectly engineered parts and are painstakingly assembled by hand with all the veneers being selected by professionals. Also, every single component is checked for all aspects of quality at each stage of the manufacturing process with each door receiving an exhaustive final inspection and cosmetic buffing over.

PRIMA
TACTO / TRADITIONAL OAK



1

1. Model Tacto 7301 glacier grey; 2. Model Tacto 7300 fd30 desert beige; 3. Model Tacto 7300 fd30 basalt grey.



2



3

1 Model Tacto 7300 fd30 basalt grey; 2 Model Tacto 7300 fd30 glacier grey.



tacto 7300 fd30
glacier grey



tacto 7301
glacier grey
unglazed



tacto 7300 fd30
basalt grey



tacto 7301
basalt grey
unglazed

PLEASE NOTE

Tacto range is available ex-stock. Glass models come unglazed but clear/obscure glass is an option. Solid models have fd30 rating. Off-standard sizes are also available. For detailed information about complementary skirting and architrave options please refer to the moulding section on pp 152-159. For general information about these models please refer to page 32.

Finish

Overveneered in 0.6mm high quality vinyl finish.

Style

Contemporary door design with horizontal veneer in the center and vertical veneers on the sides.

Construction

Solid particleboard core with minimum density of 560 kg/m². 45mm thickness. Side lipping in solid timber with vinylacetate adhesive D-3. Edge-banded on whole perimeter in PVC glued with PUR D-4 adhesive.

Glazing

Glass models come unglazed but could be supplied with clear/obscure glass as an option.

FD

Solid models have fd30 rating.

Door sizes

6 standard sizes. Please see page 5 for imperial/metric conversion door sizes.

Other

Off-standard sizes are available.
Internal use only.



PHOTO Model Tacto 7301 desert beige.



tacto 7300 fd30
desert beige



tacto 7301
desert beige
unglazed

PLEASE NOTE

For detailed information about complementary skirting and architrave options please refer to the moulding section on pp 152-159.



1. Model 214 rlv oak (clear glass); 2. Model 2040 rlv oak raised panel (moulding detail); 3. Model 2060 rlv oak raised panel; 4. Model 2040 rlv oak raised panel.



2040 rlv 2v
oak
clear bevelled glass



2040 rlv
oak
raised panel



2060 rlv
oak
raised panel



8600
rustic oak

PLEASE NOTE

All Prima oak models shown in the catalogue are **not** standard stock items. Available by special order only. Glass ope models come preglazed. All models are supplied with a superior quality factory lacquer. For double doors a T-lipping must be used. Rebating a door will invalidate the guarantee and should not be done.



PHOTO Model 212 rlv oak raised panel.

Finish

0.6mm white oak veneer. Bookmatched veneers on rails and stiles. High quality factory lacquer.

Style

Raised panels in 1, 2, 4 and 6 panel options. Model 8600 rustic oak has vertical grooves.

Construction

HD engineered core. 40mm thickness. 20mm solid perimeter lipping. Reducible by 12mm per side.

Glazing

Glass ope models come preglazed (EN12150). Model 2040 rlv 2v has bevelled glass.

Door sizes

6 standard sizes. Please see page 5 for imperial/metric conversion door sizes.

Other

For double doors a T-lipping must be used. Rebating a door will invalidate the guarantee and should not be done.

Internal use only.



214 rlv
oak
clear glass



212 rlv
oak

PLEASE NOTE

For detailed information about complementary skirting and architrave options please refer to the moulding section on pp 152-159.