

Gdansk

Quatro Laminate



Gdansk	Description	Test Standard
Country of origin	Poland	
Dimensions	1380 x 188 x 12mm	EN-13329
Pack size	1.30m ²	-
Pallet quantity	60 packs	-
Weight	13.88kg	-
Construction	HDF 860kg/m ³	-
Classification	Class 23/32	EN-13329
Abrasion resistance	AC4	EN-13329
Bevel	4V	-
Locking system	G5 Express Click	-
Structure	S0	-
Bathroom use	No	-
Underfloor heating	Yes	-
Warranty	20 year residential	-

Technical Specification

Product	Description	Test Standard
Fire resistance	Cfl-s1	EN-13501-1
Impact resistance	Small ball - AC4 > 12N Big ball - AC4 > 750mm	EN-13329
Thermal resistance	12mm: R<0.099 (m ² K)/W	EN-12667
Slip resistance	DS	EN-13893
Formaldehyde emission	E1	EN-14041
Resistance to staining	5 (group 1&2) - 4 group 3	EN-13329
Height difference between elements	Average <0.10mm Max <0.15mm	EN-13329
Openings between elements	Average <0.15mm Max <0.20mm	EN-13329

Installation

Installation	Refer to manufacturer guidelines	-
Warranty	20 year residential	-



Krakow

Quatro Laminate



Krakow	Description	Test Standard
Country of origin	Poland	
Dimensions	1380 x 188 x 12mm	EN-13329
Pack size	1.30m ²	-
Pallet quantity	60 packs	-
Weight	13.88kg	-
Construction	HDF 860kg/m ³	-
Classification	Class 23/32	EN-13329
Abrasion resistance	AC4	EN-13329
Bevel	4V	-
Locking system	G5 Express Click	-
Structure	S0	-
Bathroom use	No	-
Underfloor heating	Yes	-
Warranty	20 year residential	-

Technical Specification

Product	Description	Test Standard
Fire resistance	Cfl-s1	EN-13501-1
Impact resistance	Small ball - AC4 > 12N Big ball - AC4 > 750mm	EN-13329
Thermal resistance	12mm: R<0.099 (m ² K)/W	EN-12667
Slip resistance	DS	EN-13893
Formaldehyde emission	E1	EN-14041
Resistance to staining	5 (group 1&2) - 4 group 3	EN-13329
Height difference between elements	Average <0.10mm Max <0.15mm	EN-13329
Openings between elements	Average <0.15mm Max <0.20mm	EN-13329

Installation

Installation	Refer to manufacturer guidelines	-
Warranty	20 year residential	-

Poznan

Quatro Laminate



Poznan	Description	Test Standard
Country of origin	Poland	
Dimensions	1380 x 188 x 12mm	EN-13329
Pack size	1.30m ²	-
Pallet quantity	60 packs	-
Weight	13.88kg	-
Construction	HDF 860kg/m ³	-
Classification	Class 23/32	EN-13329
Abrasion resistance	AC4	EN-13329
Bevel	4V	-
Locking system	G5 Express Click	-
Structure	S0	-
Bathroom use	No	-
Underfloor heating	Yes	-
Warranty	20 year residential	-

Technical Specification

Product	Description	Test Standard
Fire resistance	Cfl-s1	EN-13501-1
Impact resistance	Small ball - AC4 > 12N Big ball - AC4 > 750mm	EN-13329
Thermal resistance	12mm: R<0.099 (m ² K)/W	EN-12667
Slip resistance	DS	EN-13893
Formaldehyde emission	E1	EN-14041
Resistance to staining	5 (group 1&2) - 4 group 3	EN-13329
Height difference between elements	Average <0.10mm Max <0.15mm	EN-13329
Openings between elements	Average <0.15mm Max <0.20mm	EN-13329

Installation

Installation	Refer to manufacturer guidelines	-
Warranty	20 year residential	-

Warsaw

Quatro Laminate



Warsaw	Description	Test Standard
Country of origin	Poland	
Dimensions	1380 x 188 x 12mm	EN-13329
Pack size	1.30m ²	-
Pallet quantity	60 packs	-
Weight	13.88kg	-
Construction	HDF 860kg/m ³	-
Classification	Class 23/32	EN-13329
Abrasion resistance	AC4	EN-13329
Bevel	4V	-
Locking system	G5 Express Click	-
Structure	S0	-
Bathroom use	No	-
Underfloor heating	Yes	-
Warranty	20 year residential	-

Technical Specification

Product	Description	Test Standard
Fire resistance	Cfl-s1	EN-13501-1
Impact resistance	Small ball - AC4 > 12N Big ball - AC4 > 750mm	EN-13329
Thermal resistance	12mm: R<0.099 (m ² K)/W	EN-12667
Slip resistance	DS	EN-13893
Formaldehyde emission	E1	EN-14041
Resistance to staining	5 (group 1&2) - 4 group 3	EN-13329
Height difference between elements	Average <0.10mm Max <0.15mm	EN-13329
Openings between elements	Average <0.15mm Max <0.20mm	EN-13329

Installation

Installation	Refer to manufacturer guidelines	-
Warranty	20 year residential	-

