

Aladdin

Testa Laminate



Aladdin	Description	Test Standard
Country of origin	Poland	-
Dimensions	1380 x 191 x 8mm	EN-13329
Pack size	2.37m ²	-
Pallet quantity	56 packs	-
Weight	16.64kg	-
Construction	HDF 860kg/m ³	-
Classification	Class 23/33	EN-13329
Abrasion resistance	AC5	EN-13329
Bevel	4V	-
Locking system	G5	-
Structure	3D	-
Bathroom use	No	-
Underfloor heating	Yes	-
Warranty	30 year residential	-

Technical Specification

Product	Description	Test Standard
Fire resistance	Cfl-s1	EN-13501-1
Impact resistance	15N ball - AC5 > 1000mm	EN-13329
Thermal resistance	8mm: R<0.066 (m ² K)W	EN-12667
Slip resistance	DS	EN-13893
Formaldehyde emission	E1	EN-14041
Resistance to staining	5 (group 1&2) - 4 group 3	EN-13329
Height difference between elements	Average <0.10mm Max <0.15mm	EN-13329
Openings between elements	Average <0.15mm Max <0.20mm	EN-13329

Installation

Installation	Refer to manufacturer guidelines	-
Warranty	30 year residential	-



Ariel

Testa Laminate



Ariel	Description	Test Standard
Country of origin	Poland	-
Dimensions	1380 x 191 x 8mm	EN-13329
Pack size	2.37m ²	-
Pallet quantity	56 packs	-
Weight	16.64kg	-
Construction	HDF 860kg/m ³	-
Classification	Class 23/33	EN-13329
Abrasion resistance	AC5	EN-13329
Bevel	4V	-
Locking system	G5	-
Structure	3D	-
Bathroom use	No	-
Underfloor heating	Yes	-
Warranty	30 year residential	-

Technical Specification

Product	Description	Test Standard
Fire resistance	Cfl-s1	EN-13501-1
Impact resistance	15N ball - AC5 > 1000mm	EN-13329
Thermal resistance	8mm: R<0.066 (m ² K)W	EN-12667
Slip resistance	DS	EN-13893
Formaldehyde emission	E1	EN-14041
Resistance to staining	5 (group 1&2) - 4 group 3	EN-13329
Height difference between elements	Average <0.10mm Max <0.15mm	EN-13329
Openings between elements	Average <0.15mm Max <0.20mm	EN-13329

Installation

Installation	Refer to manufacturer guidelines	-
Warranty	30 year residential	-



Baruch

Testa Laminate



Baruch	Description	Test Standard
Country of origin	Poland	-
Dimensions	1380 x 191 x 8mm	EN-13329
Pack size	2.37m ²	-
Pallet quantity	56 packs	-
Weight	16.64kg	-
Construction	HDF 860kg/m ³	-
Classification	Class 23/33	EN-13329
Abrasion resistance	AC5	EN-13329
Bevel	4V	-
Locking system	G5	-
Structure	3D	-
Bathroom use	No	-
Underfloor heating	Yes	-
Warranty	30 year residential	-

Technical Specification

Product	Description	Test Standard
Fire resistance	Cfl-s1	EN-13501-1
Impact resistance	15N ball - AC5 > 1000mm	EN-13329
Thermal resistance	8mm: R<0.066 (m ² K)W	EN-12667
Slip resistance	DS	EN-13893
Formaldehyde emission	E1	EN-14041
Resistance to staining	5 (group 1&2) - 4 group 3	EN-13329
Height difference between elements	Average <0.10mm Max <0.15mm	EN-13329
Openings between elements	Average <0.15mm Max <0.20mm	EN-13329

Installation

Installation	Refer to manufacturer guidelines	-
Warranty	30 year residential	-



Nathan

Testa Laminate



Nathan	Description	Test Standard
Country of origin	Poland	-
Dimensions	1380 x 191 x 8mm	EN-13329
Pack size	2.37m ²	-
Pallet quantity	56 packs	-
Weight	16.64kg	-
Construction	HDF 860kg/m ³	-
Classification	Class 23/33	EN-13329
Abrasion resistance	AC5	EN-13329
Bevel	4V	-
Locking system	G5	-
Structure	3D	-
Bathroom use	No	-
Underfloor heating	Yes	-
Warranty	30 year residential	-

Technical Specification

Product	Description	Test Standard
Fire resistance	Cfl-s1	EN-13501-1
Impact resistance	15N ball - AC5 > 1000mm	EN-13329
Thermal resistance	8mm: R<0.066 (m ² K)W	EN-12667
Slip resistance	DS	EN-13893
Formaldehyde emission	E1	EN-14041
Resistance to staining	5 (group 1&2) - 4 group 3	EN-13329
Height difference between elements	Average <0.10mm Max <0.15mm	EN-13329
Openings between elements	Average <0.15mm Max <0.20mm	EN-13329

Installation

Installation	Refer to manufacturer guidelines	-
Warranty	30 year residential	-



Ruben

Testa Laminate



Ruben	Description	Test Standard
Country of origin	Poland	-
Dimensions	1380 x 191 x 8mm	EN-13329
Pack size	2.37m ²	-
Pallet quantity	56 packs	-
Weight	16.64kg	-
Construction	HDF 860kg/m ³	-
Classification	Class 23/33	EN-13329
Abrasion resistance	AC5	EN-13329
Bevel	4V	-
Locking system	G5	-
Structure	3D	-
Bathroom use	No	-
Underfloor heating	Yes	-
Warranty	30 year residential	-

Technical Specification

Product	Description	Test Standard
Fire resistance	Cfl-s1	EN-13501-1
Impact resistance	15N ball - AC5 > 1000mm	EN-13329
Thermal resistance	8mm: R<0.066 (m ² K)W	EN-12667
Slip resistance	DS	EN-13893
Formaldehyde emission	E1	EN-14041
Resistance to staining	5 (group 1&2) - 4 group 3	EN-13329
Height difference between elements	Average <0.10mm Max <0.15mm	EN-13329
Openings between elements	Average <0.15mm Max <0.20mm	EN-13329

Installation

Installation	Refer to manufacturer guidelines	-
Warranty	30 year residential	-





Uriel

Testa Laminate



Uriel	Description	Test Standard
Country of origin	Poland	-
Dimensions	1380 x 191 x 8mm	EN-13329
Pack size	2.37m ²	-
Pallet quantity	56 packs	-
Weight	16.64kg	-
Construction	HDF 860kg/m ³	-
Classification	Class 23/33	EN-13329
Abrasion resistance	AC5	EN-13329
Bevel	4V	-
Locking system	G5	-
Structure	3D	-
Bathroom use	No	-
Underfloor heating	Yes	-
Warranty	30 year residential	-
Technical Specification		
Product	Description	Test Standard
Fire resistance	Cfl-s1	EN-13501-1
Impact resistance	15N ball - AC5 > 1000mm	EN-13329
Thermal resistance	8mm: R<0.066 (m ² K)W	EN-12667
Slip resistance	DS	EN-13893
Formaldehyde emission	E1	EN-14041
Resistance to staining	5 (group 1&2) - 4 group 3	EN-13329
Height difference between elements	Average <0.10mm Max <0.15mm	EN-13329
Openings between elements	Average <0.15mm Max <0.20mm	EN-13329
Installation		
Installation	Refer to manufacturer guidelines	-
Warranty	30 year residential	-